

```

UUU      UUU  EEEEEEEEEEEEEEE  TTTTTTTTTTTTTT  PPPPPPPPPPPP  SSSSSSSSSSSS  YYY      YYY
UUU      UUU  EEEEEEEEEEEEEEE  TTTTTTTTTTTTTT  PPPPPPPPPPPP  SSSSSSSSSSSS  YYY      YYY
UUU      UUU  EEEEEEEEEEEEEEE  TTTTTTTTTTTTTT  PPΓPPPPPPPPP  SSSSSSSSSSSS  YYY      YYY
UUU      UUU  EEE              TTT      PPP      PPP  SSS      YYY      YYY
UUU      UUU  EEE              TTT      PPP      PPP  SSS      YYY      YYY
UUU      UUU  EEE              TTT      PPP      PPP  SSS      YYY      YYY
UUU      UUU  EEE              TTT      PPP      PPP  SSS      YYY      YYY
UUU      UUU  EEE              TTT      PPP      PPP  SSS      YYY      YYY
UUU      UUU  EEE              TTT      PPP      PPP  SSS      YYY      YYY
UUU      UUU  EEE              TTT      PPP      PPP  SSS      YYY      YYY
UUU      UUU  EEE              TTT      PPP      PPP  SSS      YYY      YYY
UUU      UUU  EEE              TTT      PPP      PPP  SSS      YYY      YYY
UUU      UUU  EEEEEEEEEEEEEEE  TTT      PPPPPPPPPPPPP  SSSSSSSSSS  YYY
UUU      UUU  EEEEEEEEEEEEEEE  TTT      PPPPPPPPPPPPP  SSSSSSSSSS  YYY
UUU      UUU  EEEEEEEEEEEEEEE  TTT      PPPPPPPPPPPPP  SSSSSSSSSS  YYY
UUU      UUU  EEE              TTT      PPP      SSS      YYY
UUU      UUU  EEE              TTT      PPP      SSS      YYY
UUU      UUU  EEE              TTT      PPP      SSS      YYY
UUU      UUU  EEE              TTT      PPP      SSS      YYY
UUU      UUU  EEE              TTT      PPP      SSS      YYY
UUU      UUU  EEE              TTT      PPP      SSS      YYY
UUU      UUU  EEE              TTT      PPP      SSS      YYY
UUUUUUUUUUUUUUUUUU  EEEEEEEEEEEEEEE  TTT      PPP      SSSSSSSSSSSS  YYY
UUUUUUUUUUUUUUUUUU  EEEEEEEEEEEEEEE  TTT      PPP      SSSSSSSSSSSS  YYY
UUUUUUUUUUUUUUUUUU  EEEEEEEEEEEEEEE  TTT      PPP      SSSSSSSSSSSS  YYY

```

[illegible]

[illegible]

(1)	52	DECLARATIONS
(1)	205	SATSSF04
(1)	290	SFSTM10
(1)	312	SFSTM11
(1)	335	SFSTM12
(1)	358	SFSTM13
(1)	381	SFSTM14
(1)	404	SFSTM20
(1)	425	SFSTM21
(1)	446	SFSTM22
(1)	470	SFGTT10
(1)	491	SFGTT11
(1)	512	SFGTT12
(1)	536	SFNMT10
(1)	557	SFNMT11
(1)	578	SFNMT12
(1)	600	SFNMT20
(1)	621	SFNMT21
(1)	642	SFNMT22
(2)	665	SFNMT23
(2)	690	SFATM30
(2)	715	SFBTM10
(2)	738	SFBTM11
(2)	761	SFBTM12
(2)	783	SFBTM13
(2)	889	EXECUTE & CLEANUP
(2)	898	TC CONTROL
(2)	979	SUBROUTINES


```
0000 1      .TITLE  SATSSF04 - SATS SYSTEM SERVICE TESTS (FAILING S.C.)
0000 2      .IDENT  'V04-000'
0000 3
0000 4
0000 5 *****
0000 6 *
0000 7 *  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 *  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 *  ALL RIGHTS RESERVED.
0000 10
0000 11 *  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 *  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 *  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 *  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 *  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 *  TRANSFERRED.
0000 17
0000 18 *  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 *  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 *  CORPORATION.
0000 21
0000 22 *  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 *  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24
0000 25 *****
0000 26
0000 27
0000 28
0000 29 ++
0000 30 : FACILITY:      SATS SYSTEM SERVICE TESTS
0000 31
0000 32 : ABSTRACT:      THE SATSSF04 MODULE TESTS THE EXECUTION OF CERTAIN
0000 33 : VMS SYSTEM SERVICES, INVOKED IN SUCH A WAY AS TO EXPECT FAILING
0000 34 : STATUS CODES. THE SYSTEM SERVICES TESTED AND THE STATUS CODES
0000 35 : EXPECTED ARE SUMMARIZED AS ARGUMENTS TO THE TESTSERV MACROS
0000 36 : WHICH APPEAR NEAR THE END OF THIS LISTING. SUCCESSFUL STATUS
0000 37 : CODES ARE TESTED IN OTHER MODULES.
0000 38
0000 39
0000 40 : ENVIRONMENT:   USER MODE IMAGE; NEEDS CMKRNL PRIVILEGE,
0000 41 :                DYNAMICALLY ACQUIRES OTHER PRIVILEGES, AS NEEDED.
0000 42
0000 43 : AUTHOR: THOMAS L. CAFARELLA,          CREATION DATE: MMM, 1978
0000 44 :                PAUL D. FAY (DISPSERV & TESTSERV MACROS)
0000 45
0000 46 : MODIFIED BY:
0000 47
0000 48 :      : VERSION
0000 49 : 01  -
0000 50 : --
```

```
0000 52 .SBTTL DECLARATIONS
0000 53 :
0000 54 : INCLUDE FILES:
0000 55 :
0000 56 $PRVDEF ; SYMBOL DEFS FOR PRIVILEGES
0000 57 $UETPDEF ; UETP MSG CODE DEFINITIONS
0000 58 $SHR_MESSAGES UETP,116,<<TEXT,INFO>>
0000 59 ;
0000 60 ; DEFINE UETPS TEXT
0000 61 ; GET RID OF MACRO DEFINITIONS
0000 62 :
0000 63 : MACROS:
0000 64 :
0000 65 : EQUATED SYMBOLS:
0000 66 :
00000000 0000 67 WARNING = 0 ; WARNING SEVERITY VALUE FOR MSGS
00000001 0000 68 SUCCESS = 1 ; SUCCESS SEVERITY VALUE FOR MSGS
00000002 0000 69 ERROR = 2 ; ERROR SEVERITY VALUE FOR MSGS
00000003 0000 70 INFO = 3 ; INFORMATIONAL SEV VALUE FOR MSGS
00000004 0000 71 SEVERE = 4 ; SEVERE (FATAL) SEV VALUE FOR MSGS
00000000 0000 72 TCG_NO = 0 ; INITIALIZE TEST CASE GROUP NUMBER
00000000 0000 73 GRP_TOTAL = 0 ; INITIALIZE TEST CASE GROUP TOTAL
00007FFF 0000 74 RO_THRU_SP = ^M<R0,R1,R2,R3,R4,R5,R6,R7,R8,R9,R10,R11,AP,FP,SP>
00000000 0000 75 ASTADR_STM = 0 ; ASTADR ARG 4 SETIMR (INDIC NO AST)
00000000 0000 76 DAYTIM_STM20 = 0 ; DAYTIM ARG FOR SETIMR (LOCATION 0)
00000001 0000 77 TIMADR_GTT10 = 1 ; TIMADR ARG FOR GETTIM (LOCATION 1)
00000001 0000 78 TIMBUF_NMT10 = 1 ; TIMBUF ARG FOR NUMTIM (LOCATION 1)
00000001 0000 79 TIMADR_NMT20 = 1 ; TIMADR ARG FOR NUMTIM (LOCATION 1)
0000 80 :
0000 81 : ***** THE FOLLOWING ASSIGNMENTS (IN PHD, PCB, STS) ARE BEING MADE
0000 82 : ***** WITHOUT REFERENCE TO $PHDDEF, $PCBDEF, $STSDEF BECAUSE OF
0000 83 : ***** SYMBOL TABLE OVERFLOW. FIX THIS WHEN MORE TABLE SPACE AVAILABLE.
0000 84 :
00000000 0000 85 PHD$Q_PRIVMSK = 0 ; PRIV MASK OFFSET INTO PHD
00000020 0000 86 PCB$Q_UIC = ^X20 ; UIC OFFSET INTO PCB
0000001C 0000 87 STS$V_INHIB_MSG = ^X1C ; INHIBIT_MSG BIT NUMBER IN MSG CODE
0000 88 :
0000 89 : OWN STORAGE:
0000 90 :
```



```
00000000 92 .PSECT RODATA, RD, NOWRT, NOEXE, LONG
BFFC 0000 93 REG_COMP_MASK: .WORD ^M<R2,R3,R4,R5,R6,R7,R8,R9,R10,R11,AP,FP> ! ^X8000 -
0002 94 : REG COMPARE MASK (HIGH-ORDER ...
0002 95 : ... BIT MUST BE ON
0002 96 ERR_MSG_FAOCTL: STRING 1,<!!AC!1ZB!1ZB: REGISTER !2UW CONTENTS ALTERED>, -
0002 97 <: BEFORE SERVICE CALL: !8XL AFTER SERVICE CALL: !8XL>
006E 98 TEST_MOD_NAME: STRING C,<SATSSF04> : TEST MODULE NAME
0077 99 TEST_MOD_BEG: STRING C,<begun> : DISPOSITION FIELD OF TEST MOD MSG
007D 100 TEST_MOD_SUCC: STRING C,<successful> : DISPOSITION FIELD OF TEST MOD MSG
0088 101 TEST_MOD_FAIL: STRING C,<failed> : DISPOSITION FIELD OF TEST MOD MSG
008F 102 TEST_MOD_NAME_D: STRING 1,<SATSSF04> : TEST MODULE NAME DESCRIPTOR
009F 103 TTNAME: STRING 1,<TT> : TERMINAL LOGICAL NAME
00000000'00000000' 00A9 104 INADR: .LONG NOACCESS,NOACCESS : PAGE ADDRESS OF NOACCESS PSECT
00000000'00000000' 00B1 105 PROT: .LONG PRTSC_NA : PROTECTION CODE FOR NOACCESS PSECT
FFFFFFFF FFFFFFFF 00B5 106 ONES: .LONG -1,-1 : A QUADWORD OF 1-BITS
0000002B 00BD 107 EFN_STM: .LONG 43 : EFN ARGUMENT FOR SETIMR
FFFFFFFF 00C1 108 EFN_STM10: .LONG ^XFFFFFFFF : EFN ARGUMENT FOR SETIMR
00000000 00C5 109 DAYTIM_STM: .LONG 0,0 : DAYTIM ARGUMENT FOR SETIMR
00000000 00CD 110 REQIDT_STM: .LONG 0 : REQIDT ARGUMENT FOR SETIMR
000000D9 00D1 111 TIMADR_GTT11: .BLKQ 1 : TIMADR ARGUMENT FOR GETTIM
000000E7 00D9 112 TIMBUF_NMT11: .BLKW 7 : TIMBUF ARGUMENT FOR NUMTIM
00000000 00E7 113 TIMADR_NMT: .LONG 0,0 : TIMADR ARGUMENT FOR NUMTIM
FFE09C4A FFFFFFFF 00EF 114 TIMADR_NMT23: .LONG -1,-<60*24*10000>/7 : TIMADR ARGUMENT FOR NUMTIM
00F7 115 : (10,000 DAYS IN ...
00F7 116 : ... 100-NANOSECOND UNITS)
00F7 117 : TIMADR ARGUMENT FOR ASCTIM
00000000 00F7 118 TIMADR_ATM: .LONG 0,0 : TIMADR ARGUMENT FOR ASCTIM
FFE09C4A FFFFFFFF 00FF 119 TIMADR_ATM30: .LONG -1,-<60*24*10000>/7 : TIMADR ARGUMENT FOR ASCTIM
0107 120 : (10,000 DAYS IN ...
0107 121 : ... 100-NANOSECOND UNITS)
0107 122 : CVTFLG ARGUMENT FOR ASCTIM
00000001 0107 123 CVTFLG_ATM: .LONG 1 : CVTFLG ARGUMENT FOR ASCTIM
010B 124 TIMBUF_BT1: STRING 1,<25-DEC-1973 21:46:00.00> : TIMBUF ARGUMENT FOR BINTIM
012B 125 : TIMBUF ARGUMENT FOR BINTIM
012B 126 TIMBUF_BT10: STRING 1,<25-DEC-0001 21:46:00.00> : TIMBUF ARGUMENT FOR BINTIM
014B 127 : TIMBUF ARGUMENT FOR BINTIM
014B 128 TIMBUF_BT11: STRING 1,<25-DEC-1973 21:61:00.00> : TIMBUF ARGUMENT FOR BINTIM
016B 129 : TIMBUF ARGUMENT FOR BINTIM
016B 130 TIMBUF_BT12: STRING 1,<29-FEB-1973 09:14:21.33> : TIMBUF ARGUMENT FOR BINTIM
018B 131 : TIMBUF ARGUMENT FOR BINTIM
018B 132 TIMBUF_BT13: STRING 1,<0347 25:10:20.31> : TIMBUF ARGUMENT FOR BINTIM
01A4 133 : TIMBUF ARGUMENT FOR BINTIM
```

```
00000000 135 .PSECT RWDATA, RD, WRT, NOEXE
00000004 0000 136 TPID: .BLKL 1 ; PROCESS ID FOR THIS PROCESS
00000008 0004 137 CURRENT_TC: .BLKL 1 ; PTR TO CURRENT TEST CASE
00000044 0008 138 REG_SAVE_AREA: .BLKL 15 ; SAVE AREA FOR ALL REGS (SANS PC)
007480D9 0044 139 MOD_MSG_CODE: .LONG UETPS_SATSMS ; TEST MODULE MSG CODE FOR PUTMSG
0000004C 0048 140 CLOB_REG_NO: .BLKL 1 ; CLOBBED REG NO (FOR FAO ERR MSG)
00000050 004C 141 REG_BEFORE_SS: .BLKL 1 ; REG CONTENTS BEFORE S.S.
00000054 0050 142 ; (FOR FAO ERROR MSG)
00000054 0050 143 REG_AFTER_SS: .BLKL 1 ; REG CONTENTS AFTER S.S.
00000054 0054 144 ; (FOR FAO ERROR MSG)
00000054 0054 145 $STSTN$: STRING C, < SF > ; ASCII PORTION OF TEST CASE NAME
0000006E 005C 146 TMN_ADDR: .ADDRESS TEST_MOD_NAME ; ADDR OF TEST MOD NAME FOR FAO
00000077 0060 147 TMD_ADDR: .ADDRESS TEST_MOD_BEG ; ADDR OF T.M. DISP FIELD FOR FAO
00000068 0064 148 TS_EP: .BLKL 1 ; ENTRY PNT FOR CURR TESTSERV MACRO
00000070 0068 149 RETADR: .BLKL 2 ; RETURN LONGWORDS FOR SETPRT
00000071 0070 150 PRVPRT: .BLKB 1 ; PROT RETURN BYTE FOR SETPRT
00000079 0071 151 PRIVMASK: .BLKQ 1 ; ADDR OF PRIVILEGE MASK (IN PHD)
0000007D 0079 152 CHM_CONT: .BLKL 1 ; CHANGE MODE CONTINUE ADDRESS
00000091 007D 153 REGS: .BLKL 5 ; AREA FOR COND INDEX REGS (R2-R6)
00000095 0091 154 EFN_STM11: .BLKL 1 ; EFN ARGUMENT FOR SETIMR
00000099 0095 155 EFN_STM12: .BLKL 1 ; EFN ARGUMENT FOR SETIMR
0000009D 0099 156 EFN_STM13: .BLKL 1 ; EFN ARGUMENT FOR SETIMR
000000A1 009D 157 EFN_STM14: .BLKL 1 ; EFN ARGUMENT FOR SETIMR
000000A9 00A1 158 TIMADR_GTT: .BLKQ 1 ; TIMADR ARGUMENT FOR GETTIM
000000B7 00A9 159 TIMBUF_NMT: .BLKW 7 ; TIMBUF ARGUMENT FOR NUMTIM
000000B9 00B7 160 TIMLEN_ATM: .BLKW 1 ; TIMLEN ARGUMENT FOR ASCTIM
000000B9 00B9 161 TIMBUF_ATM: STRING 0,24 ; TIMBUF ARGUMENT FOR ASCTIM
000000E1 00D9 162 TIMADR_BTM: .BLKQ 1 ; TIMADR ARGUMENT FOR BINTIM
```



```
00000000 164 .PSECT SATS ACCVIO_1,RD,WRT,NOEXE,PAGE
00000200 0000 165 EMPTY: .BLKB 512 ; RESERVE A PAGE OF SPACE
      0200 166
      0200 167 +
      0200 168 *****
      0200 169 *
      0200 170 * THE ORDER OF STATEMENTS IN THIS PSECT IS CRITICAL. *
      0200 171 * DO NOT RE-ARRANGE THE VARIABLES. CONSULT SATS *
      0200 172 * FUNCTIONAL SPECIFICATION FOR A DESCRIPTION OF THE USE *
      0200 173 * OF THE EMPTY PSECT (AND ITS COMPANION PSECT, NOACCESS). *
      0200 174 *
      0200 175 *****
      0200 176 -
      0200 177
000001FF 0200 178 DAYTIM_STM22 = . - 1 ; DAYTIM ARG FOR SETIMR (LAST BYTE IN PAGE)
000001FF 0200 179 TIMADR_GTT12 = . - 1 ; TIMADR ARG FOR GETTIM (LAST BYTE IN PAGE)
000001FF 0200 180 TIMBUF_NMT12 = . - 1 ; TIMBUF ARG FOR NUMTIM (LAST BYTE IN PAGE)
000001FF 0200 181 TIMADR_NMT22 = . - 1 ; TIMADR ARG FOR NUMTIM (LAST BYTE IN PAGE)
      0200 182
      0200 183
      0200 184
      0200 185
00000000 186 .PSECT SATS ACCVIO_2,RD,WRT,NOEXE,PAGE
00000200 0000 187 NOACCESS: .BLKB 512 ; RESERVE A PAGE OF SPACE
00000000 0200 188 . = . - 512 ; RETURN LOC CTR TO BEGINNING OF PSECT
00000000 0000 189 .ADDRESS EMPTY ; ADDRESS OF ACCESSIBLE STRING
00000000 0004 190 .ADDRESS EMPTY/^X100 ; ADDRESS OF ACCESSIBLE STRING
      0008 191 +
      0008 192 *** NOTE -- DO NOT CHANGE LOCATION OR SEQUENCE OF ABOVE STATEMENTS!
      0008 193 *** THIS PSECT (NOACCESS) MUST APPEAR IN MEMORY IMMEDIATELY
      0008 194 *** FOLLOWING THE EMPTY PSECT. PSECT NAMES AND OPTIONS WILL BE
      0008 195 *** CHOSEN TO FORCE THE DESIRED PSECT ORDERING.
      0008 196 -
00000010 0008 197 DAYTIM_STM21: .BLKB 1 ; DAYTIM ARGUMENT FOR SETIMR
00000018 0010 198 TIMADR_NMT21: .BLKB 1 ; TIMADR ARGUMENT FOR NUMTIM
      0018 199
      0018 200
      0018 201
      0018 202
00000000 203 .PSECT SATSSF04,RD,WRT,EXE, LONG
```



```
0000 205 .SBTTL SATSSF04
0000 206 :++
0000 207 : FUNCTIONAL DESCRIPTION:
0000 208 :
0000 209 : AFTER PERFORMING SOME INITIAL HOUSEKEEPING, SUCH AS
0000 210 : PRINTING THE MODULE BEGIN MESSAGE AND ACQUIRING ALL PRIVILEGES,
0000 211 : THE SATSSF04 ROUTINE EXECUTES THE TEST SERV EXEC MACRO TO RUN
0000 212 : ALL TEST CASES. WHEN THE MACRO COMPLETES ITS EXECUTION, SATSSF04
0000 213 : PRINTS A TEST MODULE SUCCESS OR FAIL MESSAGE AND EXITS TO THE
0000 214 : OPERATING SYSTEM. TEST SERV EXEC CALLS THE TC CONTROL/TESTSERV
0000 215 : CO-ROUTINE PAIR ONCE PER TEST CASE GROUP TO EXECUTE ALL TEST
0000 216 : CASES IN THAT GROUP. EACH TEST CASE GROUP IS DEFINED BY BOUNDING
0000 217 : ITS TEST CASES WITH A TC GROUP MACRO BEFORE THE FIRST TEST CASE
0000 218 : AND A TCEND MACRO AFTER THE LAST ONE. THE TEST CASES THEMSELVES
0000 219 : ARE DEFINED WITHIN THESE BOUNDS BY PRECEDING EACH WITH A
0000 220 : NEXT TEST CASE MACRO. TC CONTROL/TESTSERV EXECUTES THE CODE
0000 221 : FOLLOWING EACH NEXT TEST CASE MACRO IMMEDIATELY BEFORE ISSUING
0000 222 : THE SYSTEM SERVICE AS REQUESTED IN THE TESTSERV MACRO. TC CONTROL/
0000 223 : TESTSERV ALSO CHECKS THE RESULTS OF THE SERVICE WITH RESPECT
0000 224 : TO ITS EXPECTED STATUS CODE AND PRINTS ANY REQUIRED FAILURE
0000 225 : MESSAGES FOR THE TEST CASE. THE CODE APPEARING AFTER EACH
0000 226 : NEXT TEST CASE MACRO IS MERELY TO SET UP CONDITIONS REQUIRED
0000 227 : FOR THE SYSTEM SERVICE AND TO CLEAN UP ANY RESOURCES ACQUIRED
0000 228 : BY THE PREVIOUS TEST CASE.
0000 229 :
0000 230 : CALLING SEQUENCE:
0000 231 :
0000 232 : $ RUN SATSSF04 ... (DCL COMMAND)
0000 233 :
0000 234 : INPUT PARAMETERS:
0000 235 :
0000 236 : NONE
0000 237 :
0000 238 : IMPLICIT INPUTS:
0000 239 :
0000 240 : NONE
0000 241 :
0000 242 : OUTPUT PARAMETERS:
0000 243 :
0000 244 : NONE
0000 245 :
0000 246 : IMPLICIT OUTPUTS:
0000 247 :
0000 248 : MESSAGES TO SYS$OUTPUT ARE THE ONLY OUTPUT FROM SATSSF04.
0000 249 : THEY ARE OF THE FORM:
0000 250 :
0000 251 : XUETP-S-SATSMS, TEST MODULE SATSSF04 BEGUN ... (BEGIN MSG)
0000 252 : XUETP-S-SATSMS, TEST MODULE SATSSF04 SUCCESSFUL ... (END MSG)
0000 253 : XUETP-E-SATSMS, TEST MODULE SATSSF04 FAILED ... (END MSG)
0000 254 : XUETP-I-TEXT, ... (VARIABLE INFORMATION ABOUT A TEST MODULE FAILURE)
0000 255 :
0000 256 : COMPLETION CODES:
0000 257 :
0000 258 : THE SATSSF04 ROUTINE TERMINATES WITH A $EXIT TO THE
0000 259 : OPERATING SYSTEM WITH A STATUS CODE DEFINED BY UETPS_SATSMS.
0000 260 :
0000 261 : SIDE EFFECTS:
```

```
0000 262 :  
0000 263 :  
0000 264 :  
0000 265 :--  
0000 266 :  
0000 267 :  
0000 268 :  
0000 269 SATSSF04:  
OFFC 0000 270 .WORD ^M<R2,R3,R4,R5,R6,R7,R8,R9,R10,R11>  
0002 271 : ENTRY MASK  
0002 272 $WAKE S TPID : GET PID OF THIS PROCESS  
0011 273 $HIBER S : UNDO WAKE  
0018 274 $SETPRN S TEST_MOD_NAME_D : SET PROCESS NAME  
0025 275 BSBW MOD MSG PRINT : PRINT TEST MODULE BEGIN MSG  
0028 276 MOVAL TEST_MOD_SUCC,TMD ADDR : ASSUME END MSG WILL SHOW SUCCESS  
0033 277 INSV #SUCCESS,#0,#3,MOD_MSG_CODE : ADJUST STATUS CODE FOR SUCCESS  
003C 278 MODE TO,10$,KRNL,NOREGS : KERNEL MODE TO ACCESS PHD  
59 00000000'9F DO 0059 279 MOVL @CTL$GL PHD,R9 : GET PROCESS HEADER ADDRESS  
00000071'EF 69 DE 0060 280 MOVAL PHD$Q PRIVMSK(R9),PRIVMASK : GET PRIV MASK ADDRESS  
0067 281 MODE FROM,T0$ : GET BACK TO USER MODE  
0068 282 PRIV ADD,ALL : GET ALL PRIVILEGES  
0088 283 DISPSERV : SET UP DISPLAY INFO FOR TESTSERV  
021D 284 $SETPRT S INADR=INADR, RETADR=RETADR, -  
021D 285 PROT=PROT, PRVPRT=PRVPRT  
023E 286 : SET NOACCESS PSECT ...  
023E 287 : ... FOR NO USER ACCESS  
0B29 31 023E 288 BRW EXECUTE : GO EXECUTE ALL TEST CASES  
0241 289 TC_GROUP STM,1,TS1  
0268 290 NEXT_TEST_CASE SFSTM10
```

```
0268 291 :
0268 292 ++
0268 293 *****
0268 294 *
0268 295 * TEST CASE NAME: SFSTM10
0268 296 *
0268 297 * SYSTEM SERVICE: SETIMR
0268 298 *
0268 299 * ARGUMENT UNDER TEST: EFN_STM10
0268 300 *
0268 301 * INPUT CONDITIONS:
0268 302 * ILLEGAL EVENT FLAG NUMBER
0268 303 *
0268 304 * EXPECTED RESULTS:
0268 305 * 1) SYSTEM STATUS CODE: ILLEFC
0268 306 * 2) REGISTERS R2 THROUGH FP UNCHANGED
0268 307 *
0268 308 *****
0268 309 --
0268 310 :
0268 311 :
0268 312 NEXT_TEST_CASE SFSTM11
```



```

0274 313 :
0274 314 ++
0274 315 *****
0274 316 *
0274 317 * TEST CASE NAME: SFSTM11
0274 318 *
0274 319 * SYSTEM SERVICE: SETIMR
0274 320 *
0274 321 * ARGUMENT UNDER TEST: EFN_STM11
0274 322 *
0274 323 * INPUT CONDITIONS:
0274 324 * ILLEGAL EVENT FLAG NUMBER
0274 325 *
0274 326 * EXPECTED RESULTS:
0274 327 * 1) SYSTEM STATUS CODE: ILLEFC
0274 328 * 2) REGISTERS R2 THROUGH FP UNCHANGED
0274 329 *
0274 330 *****
0274 331 --
0274 332 :
00000091'EF FF 8F 98 0274 333 CVTBL #-1,EFN_STM11 ; ILLEGAL EVENT FLAG NUMBER
027C 334 :
027C 335 NEXT_TEST_CASE SFSTM12

```

```

0288 336 :
0288 337 :
0288 338 :*****
0288 339 :
0288 340 :* TEST CASE NAME: SFSTM12
0288 341 :*
0288 342 :* SYSTEM SERVICE: SETIMR
0288 343 :*
0288 344 :* ARGUMENT UNDER TEST: EFN_STM12
0288 345 :*
0288 346 :* INPUT CONDITIONS:
0288 347 :* ILLEGAL EVENT FLAG NUMBER
0288 348 :*
0288 349 :* EXPECTED RESULTS:
0288 350 :* 1) SYSTEM STATUS CODE: ILLEFC
0288 351 :* 2) REGISTERS R2 THROUGH FP UNCHANGED
0288 352 :*
0288 353 :*****
0288 354 :--
00000095'EF 80 8F 9A 0288 355 :
0288 356 : MOVZBL #128,EFN_STM12 ; ILLEGAL EVENT FLAG NUMBER
0290 357 :
0290 358 : NEXT_TEST_CASE SFSTM13

```

```

029C 359 :
029C 360 ++
029C 361 *****
029C 362 *
029C 363 * TEST CASE NAME: SFSTM13
029C 364 *
029C 365 * SYSTEM SERVICE: SETIMR
029C 366 *
029C 367 * ARGUMENT UNDER TEST: EFN_STM13
029C 368 *
029C 369 * INPUT CONDITIONS:
029C 370 * ILLEGAL EVENT FLAG NUMBER
029C 371 *
029C 372 * EXPECTED RESULTS:
029C 373 * 1) SYSTEM STATUS CODE: ILLEFC
029C 374 * 2) REGISTERS R2 THROUGH FP UNCHANGED
029C 375 *
029C 376 *****
029C 377 --
029C 378 :
00000099'EF 000000FF 8F D0 029C 379 MOVL #255,EFN_STM13 ; ILLEGAL EVENT FLAG NUMBER
02A7 380 :
02A7 381 NEXT_TEST_CASE SFSTM14

```



```

02B3 382 :
02B3 383 :
02B3 384 : *****
02B3 385 : *
02B3 386 : * TEST CASE NAME: SFSTM14
02B3 387 : *
02B3 388 : * SYSTEM SERVICE: SETIMR
02B3 389 : *
02B3 390 : * ARGUMENT UNDER TEST: EFN_STM14
02B3 391 : *
02B3 392 : * INPUT CONDITIONS:
02B3 393 : * PROCESS NEVER ASSOCIATED WITH SPECIFIED CLUSTER (3).
02B3 394 : *
02B3 395 : * EXPECTED RESULTS:
02B3 396 : * 1) SYSTEM STATUS CODE: UNASEFC
02B3 397 : * 2) REGISTERS R2 THROUGH FP UNCHANGED
02B3 398 : *
02B3 399 : *****
02B3 400 : --
02B3 401 :
0000009D'EF 64 8F 9A 02B3 402 : MOVZBL #100,EFN_STM14 ; EVENT FLAG IN UNASSOCIATED CLUSTER
02B3 403 :
02B3 404 : NEXT_TEST_CASE SFSTM20

```

```
02C7 405 :
02C7 406 :++
02C7 407 :*****
02C7 408 :*
02C7 409 :* TEST CASE NAME: SFSTM20
02C7 410 :*
02C7 411 :* SYSTEM SERVICE: SETIMR
02C7 412 :*
02C7 413 :* ARGUMENT UNDER TEST: DAYTIM_STM20
02C7 414 :*
02C7 415 :* INPUT CONDITIONS:
02C7 416 :* EXPIRATION TIME AT LOCATION 0
02C7 417 :*
02C7 418 :* EXPECTED RESULTS:
02C7 419 :* 1) SYSTEM STATUS CODE: ACCVIO
02C7 420 :* 2) REGISTERS R2 THROUGH FP UNCHANGED
02C7 421 :*
02C7 422 :*****
02C7 423 :--
02C7 424 :
02C7 425 : NEXT_TEST_CASE SFSTM21
```

```

02D3 426 :
02D3 427 :++
02D3 428 :*****
02D3 429 :*
02D3 430 :* TEST CASE NAME: SFSTM21
02D3 431 :*
02D3 432 :* SYSTEM SERVICE: SETIMR
02D3 433 :*
02D3 434 :* ARGUMENT UNDER TEST: DAYTIM_STM21
02D3 435 :*
02D3 436 :* INPUT CONDITIONS:
02D3 437 :* EXPIRATION TIME IN NON-ACCESSIBLE PSECT
02D3 438 :*
02D3 439 :* EXPECTED RESULTS:
02D3 440 :* 1) SYSTEM STATUS CODE: ACCVIO
02D3 441 :* 2) REGISTERS R2 THROUGH FP UNCHANGED
02D3 442 :*
02D3 443 :*****
02D3 444 :--
02D3 445 :
02D3 446 : NEXT_TEST_CASE SFSTM22

```



```
02DF 447 :  
02DF 448 :++  
02DF 449 :*****  
02DF 450 :  
02DF 451 :* TEST CASE NAME: SFSTM22  
02DF 452 :*  
02DF 453 :* SYSTEM SERVICE: SETIMR  
02DF 454 :*  
02DF 455 :* ARGUMENT UNDER TEST: DAYTIM_STM22  
02DF 456 :*  
02DF 457 :* INPUT CONDITIONS:  
02DF 458 :* EXPIRATION TIME FIELD BEGINS IN ACCESSIBLE PSECT, ENDS  
02DF 459 :* IN NON-ACCESSIBLE PSECT.  
02DF 460 :*  
02DF 461 :* EXPECTED RESULTS:  
02DF 462 :* 1) SYSTEM STATUS CODE: ACCVIO  
02DF 463 :* 2) REGISTERS R2 THROUGH FP UNCHANGED  
02DF 464 :*  
02DF 465 :*****  
02DF 466 :--  
02DF 467 :  
02DF 468 : TCEND
```

SATSSF04
V04-000

- SATS SYSTEM SERVICE TESTS (FAILING S. 16-SEP-1984 00:32:49 VAX/VMS Macro V04-00 Page 16
5-SEP-1984 04:27:42 [UETPSY.SRC]SATSSF04.MAR;1 (1)

02E0 469 TC_GROUP GTT 1 TS2
0307 470 NEXT_TEST_CASE SFGTT10

```

0307 471 :
0307 472 :++
0307 473 :*****
0307 474 :*
0307 475 :* TEST CASE NAME: SFGTT10
0307 476 :*
0307 477 :* SYSTEM SERVICE: GETTIM
0307 478 :*
0307 479 :* ARGUMENT UNDER TEST: TIMADR_GTT10
0307 480 :*
0307 481 :* INPUT CONDITIONS:
0307 482 :* TIME OUTPUT FIELD AT LOCATION 1
0307 483 :*
0307 484 :* EXPECTED RESULTS:
0307 485 :* 1) SYSTEM STATUS CODE: ACCVIO
0307 486 :* 2) REGISTERS R2 THROUGH FP UNCHANGED
0307 487 :*
0307 488 :*****
0307 489 :--
0307 490 :
0307 491 : NEXT_TEST_CASE SFGTT11

```



```
0313 492 :  
0313 493 ++  
0313 494 *****  
0313 495 *  
0313 496 * TEST CASE NAME: SFGTT11  
0313 497 *  
0313 498 * SYSTEM SERVICE: GETTIM  
0313 499 *  
0313 500 * ARGUMENT UNDER TEST: TIMADR_GTT11  
0313 501 *  
0313 502 * INPUT CONDITIONS:  
0313 503 * TIME OUTPUT FIELD IN READ/ONLY PSECT  
0313 504 *  
0313 505 * EXPECTED RESULTS:  
0313 506 * 1) SYSTEM STATUS CODE: ACCVIO  
0313 507 * 2) REGISTERS R2 THROUGH FP UNCHANGED  
0313 508 *  
0313 509 *****  
0313 510 --  
0313 511 :  
0313 512  
NEXT_TEST_CASE SFGTT12
```

```
031F 513 :  
031F 514 :++  
031F 515 :*****  
031F 516 :*  
031F 517 :* TEST CASE NAME: SFGTT12  
031F 518 :*  
031F 519 :* SYSTEM SERVICE: GETTIM  
031F 520 :*  
031F 521 :* ARGUMENT UNDER TEST: TIMADR_GTT12  
031F 522 :*  
031F 523 :* INPUT CONDITIONS:  
031F 524 :* TIME OUTPUT FIELD BEGINS IN ACCESSIBLE PSECT, ENDS  
031F 525 :* IN NON-ACCESSIBLE PSECT.  
031F 526 :*  
031F 527 :* EXPECTED RESULTS:  
031F 528 :* 1) SYSTEM STATUS CODE: ACCVIO  
031F 529 :* 2) REGISTERS R2 THROUGH FP UNCHANGED  
031F 530 :*  
031F 531 :*****  
031F 532 :--  
031F 533 :  
031F 534 : TCEND
```

SATSSF04
V04-000

- SATS SYSTEM SERVICE TESTS (FAILING S. 16-SEP-1984 00:32:49 VAX/VMS Macro V04-00
5-SEP-1984 04:27:42 [UETPSY.SRC]SATSSF04.MAR;1

Page 20
(1)

0320 535
0347 536

TC GROUP NMT,1,TS3
NEXT_TEST_CASE SFNMT10

SA
VO

```

0347 537 :
0347 538 ++
0347 539 *****
0347 540 *
0347 541 * TEST CASE NAME:          SFNMT10
0347 542 *
0347 543 * SYSTEM SERVICE:          NUMTIM
0347 544 *
0347 545 * ARGUMENT UNDER TEST:     TIMBUF_NMT10
0347 546 *
0347 547 * INPUT CONDITIONS:
0347 548 *   TIME BUFFER AT LOCATION 1
0347 549 *
0347 550 * EXPECTED RESULTS:
0347 551 *   1) SYSTEM STATUS CODE: ACCVIO
0347 552 *   2) REGISTERS R2 THROUGH FP UNCHANGED
0347 553 *
0347 554 *****
0347 555 --
0347 556 :
0347 557 :
NEXT_TEST_CASE SFNMT11

```



```
0353 558 :  
0353 559 :++  
0353 560 :*****  
0353 561 :*  
0353 562 :* TEST CASE NAME:          SFNMT11  
0353 563 :*  
0353 564 :* SYSTEM SERVICE:          NUMTIM  
0353 565 :*  
0353 566 :* ARGUMENT UNDER TEST:     TIMBUF_NMT11  
0353 567 :*  
0353 568 :* INPUT CONDITIONS:  
0353 569 :*   TIME BUFFER IN READ/ONLY PSECT  
0353 570 :*  
0353 571 :* EXPECTED RESULTS:  
0353 572 :*   1) SYSTEM STATUS CODE: ACCVIO  
0353 573 :*   2) REGISTERS R2 THROUGH FP UNCHANGED  
0353 574 :*  
0353 575 :*****  
0353 576 :--  
0353 577 :  
0353 578 : NEXT_TEST_CASE SFNMT12
```

```

035F 579 :
035F 580 :++
035F 581 :*****
035F 582 :*
035F 583 :* TEST CASE NAME:          SFNMT12
035F 584 :*
035F 585 :* SYSTEM SERVICE:         NUMTIM
035F 586 :*
035F 587 :* ARGUMENT UNDER TEST:    TIMBUF_NMT12
035F 588 :*
035F 589 :* INPUT CONDITIONS:
035F 590 :*   TIME BUFFER BEGINS IN ACCESSIBLE PSECT, ENDS IN
035F 591 :*   NON-ACCESSIBLE PSECT.
035F 592 :*
035F 593 :* EXPECTED RESULTS:
035F 594 :*   1) SYSTEM STATUS CODE: ACCVIO
035F 595 :*   2) REGISTERS R2 THROUGH FP UNCHANGED
035F 596 :*
035F 597 :*****
035F 598 :--
035F 599 :
035F 600 :
NEXT_TEST_CASE SFNMT20

```

```

0368 601 :
0368 602 :++
0368 603 :*****
0368 604 :*
0368 605 :* TEST CASE NAME:          SFNMT20
0368 606 :*
0368 607 :* SYSTEM SERVICE:          NUMTIM
0368 608 :*
0368 609 :* ARGUMENT UNDER TEST:      TIMADR_NMT20
0368 610 :*
0368 611 :* INPUT CONDITIONS:
0368 612 :*   TIME VALUE AT LOCATION 0
0368 613 :*
0368 614 :* EXPECTED RESULTS:
0368 615 :*   1) SYSTEM STATUS CODE: ACCVIO
0368 616 :*   2) REGISTERS R2 THROUGH FP UNCHANGED
0368 617 :*
0368 618 :*****
0368 619 :--
0368 620 :
0368 621 :
NEXT_TEST_CASE SFNMT21

```

```
0377 622 :  
0377 623 :++  
0377 624 :*****  
0377 625 :*  
0377 626 :* TEST CASE NAME: SFNMT21  
0377 627 :*  
0377 628 :* SYSTEM SERVICE: NUMTIM  
0377 629 :*  
0377 630 :* ARGUMENT UNDER TEST: TIMADR_NMT21  
0377 631 :*  
0377 632 :* INPUT CONDITIONS:  
0377 633 :* TIME VALUE IN NON-ACCESSIBLE PSECT  
0377 634 :*  
0377 635 :* EXPECTED RESULTS:  
0377 636 :* 1) SYSTEM STATUS CODE: ACCVIO  
0377 637 :* 2) REGISTERS R2 THROUGH FP UNCHANGED  
0377 638 :*  
0377 639 :*****  
0377 640 :--  
0377 641 :  
0377 642 : NEXT_TEST_CASE SFNMT22
```



```

0383 643 :
0383 644 :++
0383 645 :*****
0383 646 :
0383 647 :* TEST CASE NAME: SFNMT22
0383 648 :*
0383 649 :* SYSTEM SERVICE: NUMTIM
0383 650 :*
0383 651 :* ARGUMENT UNDER TEST: TIMADR_NMT22
0383 652 :*
0383 653 :* INPUT CONDITIONS:
0383 654 :* TIME VALUE BEGINS IN ACCESSIBLE PSECT, ENDS
0383 655 :* IN NON-ACCESSIBLE PSECT.
0383 656 :*
0383 657 :* EXPECTED RESULTS:
0383 658 :* 1) SYSTEM STATUS CODE: ACCVIO
0383 659 :* 2) REGISTERS R2 THROUGH FP UNCHANGED

```

SATSSF04
V04-000

M 14
- SATS SYSTEM SERVICE TESTS (FAILING S. 16-SEP-1984 00:32:49 VAX/VMS Macro V04-00
SFNMT22 5-SEP-1984 04:27:42 [UETPSY.SRC]SATSSF04.MAR;1

Page 27
(2)

```
0383 661 : *
0383 662 : *****
0383 663 : --
0383 664 :
0383 665 : NEXT_TEST_CASE SFNMT23
```

```
038F 666 :  
038F 667 :++  
038F 668 :*****  
038F 669 :*  
038F 670 :* TEST CASE NAME: SFNMT23  
038F 671 :*  
038F 672 :* SYSTEM SERVICE: NUMTIM  
038F 673 :*  
038F 674 :* ARGUMENT UNDER TEST: TIMADR_NMT23  
038F 675 :*  
038F 676 :* INPUT CONDITIONS:  
038F 677 :* DELTA TIME VALUE EXCEEDS 9999 DAYS  
038F 678 :*  
038F 679 :* EXPECTED RESULTS:  
038F 680 :* 1) SYSTEM STATUS CODE: IVTIME  
038F 681 :* 2) REGISTERS R2 THROUGH FP UNCHANGED  
038F 682 :*  
038F 683 :*****  
038F 684 :--  
038F 685 :  
038F 686 : TCEND
```

SATSSF04
V04-000

- SATS SYSTEM SERVICE TESTS (FAILING S. 16-SEP-1984 00:32:49 VAX/VMS Macro V04-00 Page 29
5-SEP-1984 04:27:42 [UETPSY.SRC]SATSSF04.MAR;1 (2)

0390 687 :
0390 688 : TC_GROUP ATM,1,TS4
0387 689 :
0387 690 : NEXT_TEST_CASE SFATM30


```
0387 691 :  
0387 692 :++  
0387 693 :*****  
0387 694 :*  
0387 695 :* TEST CASE NAME: SFATM30  
0387 696 :*  
0387 697 :* SYSTEM SERVICE: ASCTIM  
0387 698 :*  
0387 699 :* ARGUMENT UNDER TEST: TIMADR_ATM30  
0387 700 :*  
0387 701 :* INPUT CONDITIONS:  
0387 702 :* DELTA TIME VALUE EXCEEDS 9999 DAYS  
0387 703 :*  
0387 704 :* EXPECTED RESULTS:  
0387 705 :* 1) SYSTEM STATUS CODE: IVTIME  
0387 706 :* 2) REGISTERS R2 THROUGH FP UNCHANGED  
0387 707 :*  
0387 708 :*****  
0387 709 :--  
0387 710 :  
0387 711 :  
0387 712 : TCEND
```

SATSSF04
V04-000

- SATS SYSTEM SERVICE TESTS (FAILING S. 16-SEP-1984 00:32:49 VAX/VMS Macro V04-00
5-SEP-1984 04:27:42 [UETPSY.SRC]SATSSF04.MAR;1

Page 31
(2)

03B8	713	TC_GROUP	BTM,1,TSS
03DF	714 ;		
03DF	715	NEXT_TEST_CASE	SFBTM10

```
03DF 716 :  
03DF 717 :++  
03DF 718 :*****  
03DF 719 :  
03DF 720 : * TEST CASE NAME: SFBTM10  
03DF 721 : *  
03DF 722 : * SYSTEM SERVICE: BINTIM  
03DF 723 : *  
03DF 724 : * ARGUMENT UNDER TEST: TIMBUF_BT10  
03DF 725 : *  
03DF 726 : * INPUT CONDITIONS:  
03DF 727 : * INVALID ABSOLUTE TIME (YEAR SPECIFIED IS  
03DF 728 : * EARLIER THAN SYSTEM BASE).  
03DF 729 : *  
03DF 730 : * EXPECTED RESULTS:  
03DF 731 : * 1) SYSTEM STATUS CODE: IVTIME  
03DF 732 : * 2) REGISTERS R2 THROUGH FP UNCHANGED  
03DF 733 : *  
03DF 734 : *****  
03DF 735 : --  
03DF 736 :  
03DF 737 :  
03DF 738 : NEXT_TEST_CASE SFBTM11
```

```

03EB 739 :
03EB 740 :++
03EB 741 :*****
03EB 742 :*
03EB 743 :* TEST CASE NAME: SFBTM11
03EB 744 :*
03EB 745 :* SYSTEM SERVICE: BINTIM
03EB 746 :*
03EB 747 :* ARGUMENT UNDER TEST: TIMBUF_BT11
03EB 748 :*
03EB 749 :* INPUT CONDITIONS:
03EB 750 :* INVALID ABSOLUTE TIME (MINUTES FIELD
03EB 751 :* OUT OF RANGE).
03EB 752 :*
03EB 753 :* EXPECTED RESULTS:
03EB 754 :* 1) SYSTEM STATUS CODE: IVTIME
03EB 755 :* 2) REGISTERS R2 THROUGH FP UNCHANGED
03EB 756 :*
03EB 757 :*****
03EB 758 :--
03EB 759 :
03EB 760 :
03EB 761 : NEXT_TEST_CASE SFBTM12

```



```
03F7 762 :
03F7 763 :+
03F7 764 :*****
03F7 765 :*
03F7 766 :* TEST CASE NAME:          SFBTM12
03F7 767 :*
03F7 768 :* SYSTEM SERVICE:          BINTIM
03F7 769 :*
03F7 770 :* ARGUMENT UNDER TEST:      TIMBUF_BTM12
03F7 771 :*
03F7 772 :* INPUT CONDITIONS:
03F7 773 :*   INVALID ABSOLUTE TIME (NON-EXISTENT DATE).
03F7 774 :*
03F7 775 :* EXPECTED RESULTS:
03F7 776 :*   1) SYSTEM STATUS CODE:  IVTIME
03F7 777 :*   2) REGISTERS R2 THROUGH FP UNCHANGED
03F7 778 :*
03F7 779 :*****
03F7 780 :--
03F7 781 :
03F7 782 :
03F7 783 : NEXT_TEST_CASE  SFBTM13
```

```
0403 784 :
0403 785 :+
0403 786 :*****
0403 787 :*
0403 788 :* TEST CASE NAME:          SFBTM13
0403 789 :*
0403 790 :* SYSTEM SERVICE:         BINTIM
0403 791 :*
0403 792 :* ARGUMENT UNDER TEST:    TIMBUF_BT13
0403 793 :*
0403 794 :* INPUT CONDITIONS:
0403 795 :*   INVALID DELTA TIME (HOURS FIELD
0403 796 :*   OUT OF RANGE).
0403 797 :*
0403 798 :* EXPECTED RESULTS:
0403 799 :*   1) SYSTEM STATUS CODE:  IVTIME
0403 800 :*   2) REGISTERS R2 THROUGH FP UNCHANGED
0403 801 :*
0403 802 :*****
0403 803 :--
0403 804 :
0403 805 :
0403 806 : TCEND
```

```

0404 807 TS1:
0404 808 TESTSERV SETIMR,ERR,SATS, -
0404 809
0404 810 <1,EFN_STM, -
0404 811 EFN_STM10,ILLEFC, - : SFSTM10
0404 812 EFN_STM11,ILLEFC, - : SFSTM11
0404 813 EFN_STM12,ILLEFC, - : SFSTM12
0404 814 EFN_STM13,ILLEFC, - : SFSTM13
0404 815 EFN_STM14,UNASEFC, - : SFSTM14
0404 816 >, -
0404 817
0404 818 <1,DAYTIM_STM, -
0404 819 DAYTIM_STM20,ACCVID, - : SFSTM20
0404 820 DAYTIM_STM21,ACCVID, - : SFSTM21
0404 821 DAYTIM_STM22,ACCVID, - : SFSTM22
0404 822 >, -
0404 823
0404 824 <1,ASTADR_STM, -
0404 825 >, -
0404 826
0404 827 <1,REQIDT_STM, -
0404 828 >, -
0404 829
06AA 830 TS_CLEANUP ; CLEAN UP & RETURN TO TEST_SERV_EXEC

```

```
06CA 831 TS2:
06CA 832 TESTSERV GETTIM,ERR,SATS, -
06CA 833 <1,TIMADR_GTT, -
06CA 834 TIMADR_GTT10,ACCVIO, - : SFGTT10
06CA 835 TIMADR_GTT11,ACCVIO, - : SFGTT11
06CA 836 TIMADR_GTT12,ACCVIO, - : SFGTT12
06CA 837 >, -
06CA 838
06CA 839 TS_CLEANUP : CLEAN UP & RETURN TO TEST_SERV_EXEC
079D 840
```

```

07BD 841 TS3:
07BD 842 TESTSERV NUMTIM,ERR,SATS, -
07BD 843 <1,TIMBUF_NMT -
07BD 844 TIMBUF_NMT10,ACCVIO, - ; SFNMT10
07BD 845 TIMBUF_NMT11,ACCVIO, - ; SFNMT11
07BD 846 TIMBUF_NMT12,ACCVIO, - ; SFNMT12
07BD 847 >, -
07BD 848 <1,TIMADR_NMT -
07BD 849 TIMADR_NMT20,ACCVIO, - ; SFNMT20
07BD 850 TIMADR_NMT21,ACCVIO, - ; SFNMT21
07BD 851 TIMADR_NMT22,ACCVIO, - ; SFNMT22
07BD 852 TIMADR_NMT23,IVTIME, - ; SFNMT23
07BD 853 >, -
07BD 854
07BD 855
07BD 856 TS_CLEANUP ; CLEAN UP & RETURN TO TEST_SERV_EXEC
0939 857

```



```

0959 858 TS4:
0959 859 TESTSERV ASCTIM,ERR,SATS,
0959 860
0959 861 <1,TIMLEN_ATM,
0959 862 >,
0959 863
0959 864 <1,TIMBUF_ATM,
0959 865 >,
0959 866
0959 867 <1,TIMADR_ATM,
0959 868 TIMADR_ATM30,IVTIME, - ; SFATM30
0959 869 >,
0959 870
0959 871 <1,CVTFLG_ATM,
0959 872 >,
0959 873
0959 874 TS_CLEANUP ; CLEAN UP & RETURN TO TEST_SERV_EXEC

```

```

OBE7 875 TSS:
OBE7 876 TESTSERV BINTIM,ERR,SATS, -
OBE7 877 <1,TIMBUF_BTM, -
OBE7 878 TIMBUF_BTM10,IVTIME, - : SFBTM10
OBE7 879 TIMBUF_BTM11,IVTIME, - : SFBTM11
OBE7 880 TIMBUF_BTM12,IVTIME, - : SFBTM12
OBE7 881 TIMBUF_BTM13,IVTIME, - : SFBTM13
OBE7 882 >, -
OBE7 883 <1,TIMADR_BTM, -
OBE7 884 >, -
OBE7 885 TS_CLEANUP ; CLEAN UP & RETURN TO TEST_SERV_EXEC
OD4A 888

```

SATSSF04
V04-000

N 15
- SATS SYSTEM SERVICE TESTS (FAILING S. 16-SEP-1984 00:32:49 VAX/VMS Macro V04-00 Page 41
EXECUTE & CLEANUP 5-SEP-1984 04:27:42 [UETPSY.SRC]SATSSF04.MAR;1 (2)

00000044'EF	01	1C	0138	30	0D6A	889	.SBTTL EXECUTE & CLEANUP	
					0D6A	890	EXECUTE:	
					0D6A	891	TEST_SERV_EXEC	; EXECUTE ALL T. CASES IN ALL GROUPS
					0D9C	892	CLEANUP:	
					0D9C	893	BSBW MOD MSG PRINT	; PRINT TEST MODULE END MSG
					0D9F	894	INSV #1,STS\$V_INHIB_MSG,#1,MOD MSG CODE	; INHIBIT PRINTING
					0DA8	895		
					0DA8	896	\$EXIT_S MOD_MSG_CODE	; EXIT TO OP SYS WITH MSG CODE

00000044'EF011C0138300D6A889.SBTTL EXECUTE & CLEANUP0D6A890EXECUTE:0D6A891TEST_SERV_EXEC; EXECUTE ALL T. CASES IN ALL GROUPS0D9C892CLEANUP:0D9C893BSBW MOD MSG PRINT; PRINT TEST MODULE END MSG0D9F894INSV #1,STS\$V_INHIB_MSG,#1,MOD MSG CODE; INHIBIT PRINTING0DA88950DA8896\$EXIT_S MOD_MSG_CODE; EXIT TO OP SYS WITH MSG CODE

```
ODBS 898 .SBTTL TC_CONTROL
ODBS 899 ++
ODBS 900 FUNCTIONAL DESCRIPTION:
ODBS 901
ODBS 902 THE TC CONTROL SUBROUTINE IS CALLED BY THE TEST_SERV_EXEC
ODBS 903 MACRO TO EXECUTE A GROUP OF TEST CASES. A GROUP IS DEFINED BY A TC_GROUP
ODBS 904 MACRO. FOR EACH TC_GROUP MACRO, THERE IS A CORRESPONDING TESTSERV MACRO.
ODBS 905 TESTSERV CONTAINS CODE TO EXECUTE SYSTEM SERVICES AND CHECK THE RETURNED
ODBS 906 STATUS CODE VALUES. TESTSERV ARGUMENTS ARE CODED TO SPECIFY ALL THE SYSTEM
ODBS 907 SERVICE ARGUMENT VALUES AND THE EXPECTED STATUS CODE FOR EACH TEST CASE
ODBS 908 DEFINED BY A NEXT TEST CASE MACRO WITHIN THE GROUP. TC_CONTROL USES A
ODBS 909 CO-ROUTINE INTERFACE TO ENTER THE CODE OF THE APPROPRIATE TESTSERV MACRO
ODBS 910 IN VARIOUS PLACES. THE FIRST ENTRY OCCURS ONCE PER GROUP TO ALLOW TESTSERV
ODBS 911 TO DO SOME INITIALIZATION. THEN TWO ENTRIES ARE MADE FOR EACH TEST CASE IN
ODBS 912 THE GROUP. THE FIRST ALLOWS TESTSERV TO ISSUE THE SUBJECT SYSTEM SERVICE.
ODBS 913 THE SECOND ENTRY FOR THE TEST CASE CAUSES TESTSERV TO CHECK THE RETURNED
ODBS 914 STATUS CODE, PRINTING A FAILURE MESSAGE IF IT IS NOT THE EXPECTED CODE.
ODBS 915 IF THERE ARE NO MORE TEST CASES IN THE CURRENT GROUP, TESTSERV (NOT TC_CONTROL)
ODBS 916 RETURNS DIRECTLY TO TEST_SERV_EXEC (RSB ACTUALLY ISSUED IN TS_CLEANUP MACRO)
ODBS 917 FROM THIS SECOND ENTRY; OTHERWISE, CONTROL RETURNS TO TC_CONTROL WHICH
ODBS 918 IN TURN ENTERS TESTSERV AGAIN FOR THE NEXT TEST CASE. THE FAILURE OF A
ODBS 919 TEST CASE DOES NOT CAUSE TERMINATION OF THE TEST MODULE.
ODBS 920
ODBS 921 CALLING SEQUENCE:
ODBS 922
ODBS 923 BSBW TC_CONTROL (ISSUED WITHIN THE TEST_SERV_EXEC MACRO)
ODBS 924 (RSB IS ISSUED WITHIN THE TS_CLEANUP MACRO)
ODBS 925
ODBS 926 INPUT PARAMETERS:
ODBS 927
ODBS 928 NONE
ODBS 929
ODBS 930 IMPLICIT INPUTS:
ODBS 931
ODBS 932 ARGUMENTS SPECIFIED ON EACH TESTSERV MACRO MAY BE VIEWED AS
ODBS 933 INPUTS, SINCE TC_CONTROL AND TESTSERV ACT AS CO-ROUTINES.
ODBS 934
ODBS 935 OUTPUT PARAMETERS:
ODBS 936
ODBS 937 SEVERITY CODE FIELD OF MOD MSG_CODE (BITS 0,1,2) IS SET TO ERROR
ODBS 938 IF ANY TEST CASE IN THE CURRENT GROUP FAILS; OTHERWISE IT REMAINS
ODBS 939 SET TO SUCCESSFUL.
ODBS 940
ODBS 941 IMPLICIT OUTPUTS:
ODBS 942
ODBS 943 XUETP-I-TEXT, ERROR MESSAGES ARE WRITTEN TO SYS$OUTPUT BY
ODBS 944 THE TESTSERV MACRO (CO-ROUTINE WITH TC_CONTROL)
ODBS 945
ODBS 946 COMPLETION CODES:
ODBS 947
ODBS 948 NONE
ODBS 949
ODBS 950 SIDE EFFECTS:
ODBS 951
ODBS 952 NONE
ODBS 953
ODBS 954 --
```

```
00000064'EF DD 0DB5 955
9E 16 0DB5 956
00000056'EF 20 0DB5 957
002F 30 0DB5 958 TC_CONTROL:
00000004'EF 16 0DB5 959 PUSHL TS_EP
0037 30 0DB8 960 JSB @ (SP)+
9E 16 0DBD 961 10$:
0042 30 0DBD 962 MOVB #*A/ /,$$TSTN$$+2
9E 16 0DC4 963 BSBW REG_SAVE
00000056'EF 2A 91 0DC7 964 JSB @CURRENT_TC
DD 12 0DCD 965 BSBW REG_REST
00000060'EF 00000088'EF DE 0DD0 966 JSB @ (SP)+
00000044'EF 03 00 02 F0 0DD2 967 BSBW REG_COMP
C7 11 0DD5 968
00000056'EF 2A 91 0DD5 969 JSB @ (SP)+
DD 12 0DD7 970 CMPB #*A/ /,$$TSTN$$+2
00000060'EF 00000088'EF DE 0DE0 971 BNEQU 10$
00000044'EF 03 00 02 F0 0DE0 972 MOVAL TEST_MOD_FAIL,TMD_ADDR
C7 11 0DE8 973 INSV #ERROR,#0,#3,MOD_MSG_CODE
0DF4 974 BRB 10$
0DF6 975 :
0DF6 976 : TC_CONTROL RETURNS TO TEST_SERV_EXEC VIA TESTSERV (IN TS_CLEANUP MACRO)
0DF6 977 :
```

```

                                D 16
                                .SBTTL SUBROUTINES
                                REG_SAVE:
                                *****
                                * SAVES R0 THRU SP IN REG_SAVE_AREA
                                *****
                                PUSHR #R0_THRU_SP      : SAVE ALL REGS ON STACK
                                MOVC3 #60,(SP),REG_SAVE_AREA : SAVE REGS (BEFORE S.S.)
                                POPR  #R0_THRU_SP      : CLEAN UP STACK
                                RSB                      : .... AND RETURN

                                REG_REST:
                                *****
                                * RESTORES R0 THRU SP FROM REG_SAVE_AREA
                                *****
                                SUBL2 #60,SP           : MOVE SP TO MAKE ROOM FOR REGS
                                MOVC3 #60,REG_SAVE_AREA,(SP) : MOVE REGS ONTO STACK FOR POP
                                POPR  #R0_THRU_SP      : RESTORE ALL REGS FOR TESTSERV
                                RSB                      : ... AND RETURN

00000008'EF 7FFF 8F BB 0DF6 979
              6E 3C 28 0DF6 980
              7FFF 8F BA 0DF6 981
              05 05 0DF6 982
              0DF6 983
              0DF6 984
              0DF6 985
              0DF6 986
              0DF6 987
              0DF6 988
              0DFA 989
              0E02 990
              0E06 991
              0E07 992
              0E07 993
              0E07 994
              0E07 995
              0E07 996
              0E07 997
              0E07 998
              0E07 999
              0E07 1000
              0E07 1001
              0E07 1002
              0E07 1003
              0E07 1004
              0E07 1005
              0E0A 1006
              0E12 1007
              0E16 1008

6E 0C000008'EF 5E 3C C2 0E07 1005
              7FFF 8F BA 0E0A 1006
              05 05 0E12 1007
              0E16 1008

```



```
OE17 1010 REG_COMP:
OE17 1011 :
OE17 1012 :
OE17 1013 :
OE17 1014 :
OE17 1015 :
OE17 1016 :
OE17 1017 :
OE17 1018 :
OE17 1019 :
OE17 1020 :
OE17 1021 :
OE17 1022 :
OE17 1023 :
OE17 1024 :
56 00000008'EF BB OE17 1024 PUSHR #R0_THRU_SP ; SAVE ALL REGISTERS ON STACK
DE OE18 1025 MOVAL REG_SAVE_AREA,R6 ; POINT R6 TO BEG OF
54 5E D0 OE22 1026 ; REGS (BEFORE S.S.)
OE22 1027 MOVL SP,R4 ; POINT R4 TO BEG OF
53 FF 8F 98 OE25 1028 ; REGS (AFTER S.S.)
OE25 1029 CVTBL #-1,R3 ; INITIALIZE REG_COMP_MASK INDEX
OE29 1030 REG_COMP_NEXT:
53 53 D6 OE29 1031 INCL R3 ; POINT TO NEXT BIT IN MASK
53 0F 91 OE2B 1032 CMPB #15,R3 ; END OF THE MASK ?
03 1A OE2E 1033 BGTRU REG_COMP_CONT ; NO -- CONTINUE
009F 31 OE30 1034 BRW REG_COMP_RSB ; YES -- GO TO COMMON RETURN
84 86 D1 OE33 1035 REG_COMP_CONT:
F1 13 OE36 1036 CMPL (R6)+,(R4)+ ; REG BEFORE = REG AFTER ?
E9 00000000'EF 53 E1 OE38 1037 BEQLU REG_COMP_NEXT ; YES -- LOOK FOR NEXT REG
OE40 1039 BBC R3,REG_COMP_MASK,REG_COMP_NEXT ; NO -- GET NEXT IF BIT NOT SET
00000048'EF 53 D0 OE40 1040 MOVL R3,CLOB_REG_NO ; NO -- GIVE REG NUMBER TO FAO
0000004C'EF FC A6 D0 OE47 1041 MOVL -4(R6),REG_BEFORE_SS ; GIVE 'BEFORE' CONTENTS TO FAO
00000050'EF FC A4 D0 OE4F 1042 MOVL -4(R4),REG_AFTER_SS ; GIVE 'AFTER' CONTENTS TO FAO
00000056'EF 2A 90 OE57 1043 MOVB #A/+/,$$TSTN$$+2 ; GIVE FAILURE INDIC'N IN ERROR MSG
OE5E 1044 :
OE5E 1045 :
OE5E 1046 :
F27C CF F246 CF B0 OE91 1047 :
OE91 1048 :
OE98 1049 :
F260 CF 0084 8F B0 OEAD 1050 MOVW OUTL,OUTD ; ACTUAL OUTPUT LEN IN STRING DESC'R
00000056'EF 20 90 OE84 1051 PUTMSG <UEIPS TEXT,#1,#OUTD> ; PRINT THE MSG
00000060'EF 00000088'EF DE OE84 1051 MOVW #OUTE-OUTB,OUT ; GET MAX LEN BACK INTO DESCRIPTOR
00000044'EF 03 00 02 FO OE88 1052 MOVW #A/ /,$$TSTN$$+2 ; REMOVE FAIL INDIC'N FOR NEXT MSG
FF57 31 OECF 1053 MOVB TEST MOD FAIL,IMD_ADDR ; INDICATE FAILED IN END MSG
OEED2 1054 INSV #ERROR,#0,#3,MOD_MSG_CODE ; ADJUST STATUS CODE FOR ERROR
OEED2 1055 BRW REG_COMP_NEXT ; GO LOOK FOR NEXT REG TO COMPARE
7FFF 8F BA OEED2 1056 REG_COMP_RSB:
05 OED6 1057 POPR #R0_THRU_SP ; CLEAN UP STACK
RSB ; RETURN TO CALLER
```

```

OED7 1059 MOD_MSG_PRINT:
OED7 1060 :
OED7 1061 : *****
OED7 1062 : *
OED7 1063 : * PRINTS THE TEST MODULE BEGUN/SUCCESSFUL/FAILED MESSAGES *
OED7 1064 : * (USING THE PUTMSG MACRO). *
OED7 1065 : *
OED7 1066 : *****
OED7 1067 :
05 OED7 1068 PUTMSG <MOD_MSG_CODE,#2,TMN_ADDR,TMD_ADDR> ; PRINT MSG
OEF2 1069 RSB ; ... AND RETURN TO CALLER
OEF3 1070 :
OEF3 1071 CHMRTN:
OEF3 1072 : *****
OEF3 1073 : *
OEF3 1074 : * CHANGE MODE ROUTINE. THIS ROUTINE GETS CONTROL WHENEVER
OEF3 1075 : * A CMKRN, CMEXEC, OR CMSUP SYSTEM SERVICE IS ISSUED
OEF3 1076 : * BY THE MODE MACRO ('TO' OPTION). IT MERELY DOES
OEF3 1077 : * A JUMP INDIRECT ON A FIELD SET UP BY MODE. IT HAS
OEF3 1078 : * THE EFFECT OF RETURNING TO THE END OF THE MODE
OEF3 1079 : * MACRO EXPANSION.
OEF3 1080 : *****
OEF3 1081 :
OEF3 1082 :
00000079'FF 0000 OEF3 1083 .WORD 0 ; ENTRY MASK
17 OEF3 1084 JMP @CHM_CONT ; RETURN TO MODE MACRO IN NEW MODE
OEFB 1085 :
OEFB 1086 : * RET INSTR WILL BE ISSUED IN EXPANSION OF 'MODE FROM, ....' MACRO
OEFB 1087 :
OEFB 1088 .END SATSSF04

```

SATSSF04
Symbol table

G 16
- SATS SYSTEM SERVICE TESTS (FAILING S. 16-SEP-1984 00:32:49 VAX/VMS Macro V04-00
5-SEP-1984 04:27:42 [UETPSY.SRC]SATSSF04.MAR;1

Page 47
(2)

```

$$$CHARS          = 00000048
$$$FIRSTTC$$$     = 00000000
$$$STRINGS        = 00000000
$$ACT$$           = 000000F3 R    06
$$ARG$$           = 000000FB R    06
$$ASEQ$$          = 000000EB R    06
$$CALL$$          = 000000DF R    06
$$DISP$$          = 000001E6 R    06
$$ERR$$           = 000001A0 R    06
$$EXP$$           = 000000F7 R    06
$$INIT$$          = 000000E3 R    06
$$MAXP$$          = 00000005
$$PSEQ$$          = 000000EF R    06
$$SNAD$$          = 000000E7 R    06
$ST1              = 00000004
$ST2              = 00000009
$STSTN$$          = 00000054 R    03
ASTADR_STM        = 00000000
CHMRTN           = 000000F3 R    06
CHM_CONT          = 00000079 R    03
CLEANUP           = 000000D9C R    06
CLOB_REG_NO       = 00000048 R    03
CTL$GL_PRD       = ***** X    06
CURRENT_TC        = 00000004 R    03
CVTFLG_ATM       = 00000107 R    02
DAYTIM_STM        = 000000C5 R    02
DAYTIM_STM20      = 00000000
DAYTIM_STM21      = 00000008 R    05
DAYTIM_STM22      = 000001FF R    04
EFN_STM           = 000000BD R    02
EFN_STM10         = 000000C1 R    02
EFN_STM11         = 00000091 R    03
EFN_STM12         = 00000095 R    03
EFN_STM13         = 00000099 R    03
EFN_STM14         = 0000009D R    03
EMPTY             = 00000000 R    04
ERROR             = 00000002
ERR_MSG_FAOCTL    = 00000002 R    02
EXECUTE           = 000000D6A R    06
GRP_TOTAL         = 00000005
INADR             = 000000A9 R    02
INFO              = 00000003
LIB$SIGNAL        = ***** X    06
MEXIT             = 00000000
MOD_MSG_CODE      = 00000044 R    03
MOD_MSG_PRINT     = 000000ED7 R    06
NARGS            = 0000000E
NOACCESS          = 00000000 R    05
NSSARGS           = 00000002
ONES              = 000000B5 R    02
OUTB              = 0000011C R    06
OUTD              = 00000114 R    06
OUTE              = 000001A0 R    06
OUTL              = 000000DB R    06
PCBS$L_UIC        = 00000020
PHDSQ_PRIVMSK     = 00000000
PRIVMASK          = 00000071 R    03

```

```

PRIV_ARGS         = 00000002
PROT              = 000000B1 R    02
PRT$C_NA          = ***** X    02
PRVPRT            = 00000070 R    03
RO_THRU_SP        = 00007FFF
REGS              = 0000007D R    03
REG_AFTER_SS      = 00000050 R    03
REG_BEFORE_SS     = 0000004C R    03
REG_COMP          = 000000E17 R    06
REG_COMP_CONT     = 000000E33 R    06
REG_COMP_MASK     = 00000000 R    02
REG_COMP_NEXT     = 000000E29 R    06
REG_COMP_RSB      = 000000ED2 R    06
REG_REST          = 000000E07 R    06
REG_SAVE          = 000000DF6 R    06
REG_SAVE_AREA     = 00000008 R    03
REQIDT_STM        = 000000CD R    02
RETADR            = 00000068 R    03
SATSSF04          = 00000000 R    06
SEVERE            = 00000004
SHRSK_SHRDEF      = 00000001
SHRS_TEXT         = 00001130
SS$ACCPIO         = ***** X    06
SS$ILLEFC         = ***** X    06
SS$IVTIME         = ***** X    06
SS$UNASEFC        = ***** X    06
STSV_INHIB_MSG    = 0000001C
SUCCESS           = 00000001
SY$ASCTIM         = ***** GX    06
SY$BINTIM         = ***** GX    06
SY$CMKRNL         = ***** GX    06
SY$EXIT           = ***** GX    06
SY$FAO            = ***** X    06
SY$FAOL           = ***** GX    06
SY$GETTIM         = ***** GX    06
SY$HIBER          = ***** GX    06
SY$NUMTIM         = ***** GX    06
SY$SETIMR         = ***** GX    06
SY$SETPRN         = ***** GX    06
SY$SETPRV         = ***** GX    06
SY$WAKE           = ***** GX    06
TC1               = 00000241 R    06
TC2               = 000002E0 R    06
TC3               = 00000320 R    06
TC4               = 00000390 R    06
TC5               = 000003B8 R    06
TCG_NO            = 00000005
TC_CONTROL        = 000000B5 R    06
TEST_MOD_BEG      = 00000077 R    02
TEST_MOD_FAIL     = 00000088 R    02
TEST_MOD_NAME     = 0000006E R    02
TEST_MOD_NAME_D   = 0000008F R    02
TEST_MOD_SUCC     = 0000007D R    02
TIMADR_ATM        = 000000F7 R    02
TIMADR_ATM30      = 000000FF R    02
TIMADR_BTM        = 000000D9 R    03

```


SATSSF04
Symbol table

H 16
- SATS SYSTEM SERVICE TESTS (FAILING S. 16-SEP-1984 00:32:49 VAX/VMS Macro V04-00
5-SEP-1984 04:27:42 [UETPSY.SRC]SATSSF04.MAR;1

Page 48
(2)

TIMADR_GTT	000000A1	R	03
TIMADR_GTT10	= 00000001		
TIMADR_GTT11	000000D1	R	02
TIMADR_GTT12	= 000001FF	R	04
TIMADR_NMT	000000E7	R	02
TIMADR_NMT20	= 00000001		
TIMADR_NMT21	00000010	R	05
TIMADR_NMT22	= 000001FF	R	04
TIMADR_NMT23	000000EF	R	02
TIMBUF_ATM	000000B9	R	03
TIMBUF_BT1	0000010B	R	02
TIMBUF_BT10	0000012B	R	02
TIMBUF_BT11	0000014B	R	02
TIMBUF_BT12	0000016B	R	02
TIMBUF_BT13	0000018B	R	02
TIMBUF_NMT	000000A9	R	03
TIMBUF_NMT10	= 00000001		
TIMBUF_NMT11	000000D9	R	02
TIMBUF_NMT12	= 000001FF	R	04
TIMLEN_ATM	000000B7	R	03
TMD_ADDR	00000060	R	03
TMN_ADDR	0000005C	R	03
TPID	00000000	R	03
TS1	00000404	R	06
TS2	000006CA	R	06
TS3	0000078D	R	06
TS4	00000959	R	06
TS5	00000BE7	R	06
TS_EP	00000064	R	03
TTNAME	0000009F	R	02
UETPS_SATSMS	= 007480D9		
UETPS-TEXT	= 00741133		
WARNING	= 00000000		

! Psect synopsis !

PSECT name	Allocation	PSECT No.	Attributes
. ABS .	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
\$ABSS	00000000 (0.)	01 (1.)	NOPIC USR CON ABS LCL NOSHR EXE RD WRT NOVEC BYTE
RODATA	000001A4 (420.)	02 (2.)	NOPIC USR CON REL LCL NOSHR NOEXE RD NOWRT NOVEC LONG
RWDATA	000000E1 (225.)	03 (3.)	NOPIC USR CON REL LCL NOSHR NOEXE RD WRT NOVEC BYTE
SATS_ACCVIO_1	00000200 (512.)	04 (4.)	NOPIC USR CON REL LCL NOSHR NOEXE RD WRT NOVEC PAGE
SATS_ACCVIO_2	00000200 (512.)	05 (5.)	NOPIC USR CON REL LCL NOSHR NOEXE RD WRT NOVEC PAGE
SATSSF04	00000EFB (3835.)	06 (6.)	NOPIC USR CON REL LCL NOSHR EXE RD WRT NOVEC LONG

! Performance indicators !

Phase	Page faults	CPU Time	Elapsed Time
Initialization	37	00:00:00.06	00:00:01.36
Command processing	136	00:00:00.79	00:00:06.42
Pass 1	485	00:00:15.45	00:00:32.79

SATSSF04
VAX-11 Macro Run Statistics

I 16
- SATS SYSTEM SERVICE TESTS (FAILING S. 16-SEP-1984 00:32:49 VAX/VMS Macro V04-00
5-SEP-1984 04:27:42 [UETPSY.SRC]SATSSF04.MAR;1

Page 49
(2)

Symbol table sort	2	00:00:00.68	00:00:01.08
Pass 2	281	00:00:04.01	00:00:10.19
Symbol table output	18	00:00:00.13	00:00:00.13
Psect synopsis output	2	00:00:00.03	00:00:00.03
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	963	00:00:21.15	00:00:52.01

The working set limit was 1650 pages.

80218 bytes (157 pages) of virtual memory were used to buffer the intermediate code.

There were 30 pages of symbol table space allocated to hold 347 non-local and 160 local symbols.

1088 source lines were read in Pass 1, producing 32 object records in Pass 2.

64 pages of virtual memory were used to define 48 macros.

+-----+
! Macro library statistics !
+-----+

Macro library name

Macros defined

-----	-----
_\$255\$DUA26:[SHRLIB]UETP.MLB;1	19
_\$255\$DUA28:[SYS.OBJ]LIB.MLB;1	0
_\$255\$DUA28:[SYSLIB]STARLET.MLB;2	23
TOTALS (all libraries)	42

975 GETS were required to define 42 macros.

There were no errors, warnings or information messages.

MACRO/LIS=LISS:SATSSF04/OBJ=OBJ\$:SATSSF04 MSRC\$:SATSSF04/UPDATE=(ENH\$:SATSSF04)+EXECMLS/LIB+SHRLIB\$:UETP/LIB

0417

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY